

Instructions for use

fytofontana VIROSTOP pastilles

Citrus flavor



Before use, carefully study the instructions for use.
Keep the instructions for use in case of future use.

Viral infections are among the most common infectious respiratory tract diseases with significant overall symptoms. They start suddenly, so it's important to intervene quickly and promptly. These diseases (including the common cold) are caused by viruses that are transmitted through infection via mucous membranes into the body, where they begin to rapidly multiply. Thanks to its rich content of polyphenols, the extract from *Cistus creticus* creates a protective film on the mucous membranes of the mouth and throat. This protective barrier constitutes a physical (mechanical) defense against viruses, preventing their penetration and further multiplication. The site of action of the medical device is on the mucosa of the upper respiratory tract - specifically on the mucosa of the oral cavity for oral spray/pastilles and on the mucosa of the nasal cavity for nasal spray. Other ingredients included - citrus bioflavonoids, purple coneflower (*echinacea purpurea*), common sage, and Barbados cherry (*acerola*) strengthen the antiviral neutralizing effect.

Ingredients in 1 pastille: *Cistus creticus* extract (58 mg), purple coneflower (*echinacea purpurea*) extract (93.75 mg), common sage (*Salvia officinalis*) extract (27 mg), citrus bioflavonoid complex (1.55 mg), acerola extract (75 mg), sorbitol, xylitol, citric acid, magnesium stearate, flavor: lime, lemon

Intended use

Fytofontana VIROSTOP is intended as a protective barrier against viruses causing inflammation of the upper respiratory tract by application to the mucosa of the upper respiratory tract.

Indications

Redness of the mucosa in upper respiratory tract inflammation.

Main mechanism of action

The main mechanism of action of the medical device fytofontana VIROSTOP pastilles lies in its ability to cover the mucous membranes of the oral cavity with a protective film, thereby preventing the penetration of viruses into the body.

Contraindications

Allergy to any of the ingredients of the medical device (listed in the Ingredients section).

Side effects

When using fytofontana VIROSTOP pastilles, you may experience temporary mild irritation of the mucosa. These sensations are temporary and natural.

Intended users/patients

The medical device fytofontana VIROSTOP pastilles is intended for adults and children over **4 years old**.

Preventive measures and warnings

 Do not use in children under 4 years of age. Older children should use the product only under the supervision of an adult.

⚠ For pregnant and breastfeeding women, consultation with a medical specialist regarding usage is recommended.

⚠ If symptoms persist, you should consult a doctor.

⚠ We do not recommend using the product if you have had surgical procedures in the nose or mouth area, or if the mucous membrane of the upper respiratory tract has been damaged.

⚠ Keep out of reach of small children.

Minor color variations in the pastilles are caused by the use of plant-based ingredients and do not affect the quality of the product in any way.

Dosage

Adults and children over 4 years old may suck on one pastille every 3-4 hours if necessary, but no more than 3 pastilles per day. The pastilles are suitable for preventive use. In case of higher risk of infection, you can use them up to 5x a day. It is very important to use them in the evening before bedtime after brushing your teeth. The pastilles are intended for sucking. Do not swallow the pastilles whole or chew them. Allow them to dissolve slowly in the mouth to achieve the desired effect.

The main benefit for the patient lies in the impact on public health through the use of VIROSTOP, where

- Polyphenols support the local immunity of the upper respiratory tract in the early stage of infection.
- Improvement in quality of life by reducing the duration of symptoms causing upper respiratory tract infections.
- Preventive use of VIROSTOP during periods of increased infection prevalence in communities reduces susceptibility to risks of upper respiratory tract infections.

Package contents: 10, 20, 50 pastilles in blisters


Lifespan of the medical device

The lifespan of the medical device is determined by the expiration date on the product packaging – 36 months from the date of manufacture.

Accessory or compatible medical devices

VIROSTOP medical device does not have any accessories or compatible medical devices.

Storage



The information is provided on the packaging

Disposal: Return any unused product to the pharmacy. Dispose of clean packaging materials in the appropriate recycling bin.



Herb-Pharma Corporation s.r.o., 935 65 Veľké Ludince 404, Slovak Republic, under license from Herb-pharma AG Schweiz, Waldmannstrasse 6, 8001 Zürich, Switzerland

www.virostop.info



Further information

In the event of a serious incident caused by the device, the user should report this incident to the manufacturer and to the competent authority of the Member State in which the user is resident.

EXPLANATION OF SYMBOLS

	See instructions for use		Manufacturer
	Best before		Batch number
	Temperature limit		Protect from sunlight
	Mark of conformity		Medical device
	Reference number		Unique Device Identifier
	Warning		

Date of issue: 23.01.2026

 10032_33_37EN-P-2

Instructions for use

fytofontana VIROSTOP pastilles

forest fruit flavor



Before use, carefully study the instructions for use.
Keep the instructions for use in case of future use.

Viral infections are among the most common infectious respiratory tract diseases with significant overall symptoms. They start suddenly, so it's important to intervene quickly and promptly. These diseases (including the common cold) are caused by viruses that are transmitted through infection via mucous membranes into the body, where they begin to rapidly multiply. Thanks to its rich content of polyphenols, the extract from *Cistus creticus* creates a protective film on the mucous membranes of the mouth and throat. This protective barrier constitutes a physical (mechanical) defense against viruses, preventing their penetration and further multiplication. The site of action of the medical device is on the mucosa of the upper respiratory tract - specifically on the mucosa of the oral cavity for oral spray/pastilles and on the mucosa of the nasal cavity for nasal spray. Other ingredients included - citrus bioflavonoids, purple coneflower (*echinacea purpurea*), common sage, and Barbados cherry (*acerola*) strengthen the antiviral neutralizing effect.

Ingredients in 1 pastille: *Cistus creticus* extract (58 mg), purple coneflower (*echinacea purpurea*) extract (93.75 mg), common sage (*Salvia officinalis*) extract (27 mg), citrus bioflavonoid complex (1.55 mg), acerola extract (75 mg), sorbitol, xylitol, citric acid, magnesium stearate, flavors: cherry, raspberry, blueberry

Intended use

Fytofontana VIROSTOP is intended as a protective barrier against viruses causing inflammation of the upper respiratory tract by application to the mucosa of the upper respiratory tract.

Indications

Redness of the mucosa in upper respiratory tract inflammation.

Main mechanism of action

The main mechanism of action of the medical device fytofontana VIROSTOP pastilles lies in its ability to cover the mucous membranes of the oral cavity with a protective film, thereby preventing the penetration of viruses into the body.

Contraindications

Allergy to any of the ingredients of the medical device (listed in the Ingredients section).

Side effects

When using fytofontana VIROSTOP pastilles, you may experience a temporary mild tingling sensation on the tongue. These sensations are temporary and natural.

Intended users/patients

The medical device fytofontana VIROSTOP pastilles is intended for adults and children over **4 years old**.

Preventive measures and warnings

 Do not use in children under 4 years of age. Older children should use the product only under the supervision of an adult.

⚠ For pregnant and breastfeeding women, consultation with a medical specialist regarding usage is recommended.

⚠ If symptoms persist, you should consult a doctor.

⚠ We do not recommend using the product if you have had surgical procedures in the nose or mouth area, or if the mucous membrane of the upper respiratory tract has been damaged.

⚠ Keep out of reach of small children.

Minor color variations in the pastilles are caused by the use of plant-based ingredients and do not affect the quality of the product in any way.

Dosage

Adults and children over 4 years old may suck on one pastille every 3-4 hours if necessary, but no more than 3 pastilles per day. The pastilles are suitable for preventive use. In case of higher risk of infection, you can use them up to 5x a day. It is very important to use them in the evening before bedtime after brushing your teeth. The pastilles are intended for sucking. Do not swallow the pastilles whole or chew them. Allow them to dissolve slowly in the mouth to achieve the desired effect.

The main benefit for the patient lies in the impact on public health through the use of VIROSTOP, where

- Polyphenols support the local immunity of the upper respiratory tract in the early stage of infection.
- Improvement in quality of life by reducing the duration of symptoms causing upper respiratory tract infections.
- Preventive use of VIROSTOP during periods of increased infection prevalence in communities reduces susceptibility to risks of upper respiratory tract infections.

Package contents: 20 pastilles in blisters


Lifespan of the medical device

The lifespan of the medical device is determined by the expiration date on the product packaging – 36 months from the date of manufacture.

Accessory or compatible medical devices

VIROSTOP medical device does not have any accessories or compatible medical devices.

Storage



The information is provided on the packaging

Disposal: Return any unused product to the pharmacy. Dispose of clean packaging materials in the appropriate recycling bin.



Herb-Pharma Corporation s.r.o., 935 65 Veľké Ludince 404, Slovak Republic, under license from Herb-pharma AG Schweiz, Waldmannstrasse 6, 8001 Zürich, Switzerland

www.virostop.info

www.fytofontana.com



Further information

In the event of a serious incident caused by the device, the user should report this incident to the manufacturer and to the competent authority of the Member State in which the user is resident.

EXPLANATION OF SYMBOLS

	See instructions for use		Manufacturer
	Best before		Batch number
	Temperature limit		Protect from sunlight
	Mark of conformity		Medical device
	Reference number		Unique Device Identifier
	Warning		

Date of issue: 23.01.2026

 10038EN-P-2

Instructions for use

fytofontana VIROSTOP pastilles

mint flavor



Before use, carefully study the instructions for use.
Keep the instructions for use in case of future use.

Viral infections are among the most common infectious respiratory tract diseases with significant overall symptoms. They start suddenly, so it's important to intervene quickly and promptly. These diseases (including the common cold) are caused by viruses that are transmitted through infection via mucous membranes into the body, where they begin to rapidly multiply. Thanks to its rich content of polyphenols, the extract from *Cistus creticus* creates a protective film on the mucous membranes of the mouth and throat. This protective barrier constitutes a physical (mechanical) defense against viruses, preventing their penetration and further multiplication. The site of action of the medical device is on the mucosa of the upper respiratory tract - specifically on the mucosa of the oral cavity for oral spray/pastilles and on the mucosa of the nasal cavity for nasal spray. Other ingredients included - citrus bioflavonoids, purple coneflower (*echinacea purpurea*), common sage, and Barbados cherry (*acerola*) strengthen the antiviral neutralizing effect.

Ingredients in 1 pastille: *Cistus creticus* extract (58 mg), purple coneflower (*echinacea purpurea*) extract (93.75 mg), common sage (*Salvia officinalis*) extract (27 mg), citrus bioflavonoid complex (1.55 mg), acerola extract (75 mg), sorbitol, xylitol, magnesium stearate, mint flavor

Intended use

Fytofontana VIROSTOP is intended as a protective barrier against viruses causing inflammation of the upper respiratory tract by application to the mucosa of the upper respiratory tract.

Indications

Redness of the mucosa in upper respiratory tract inflammation.

Main mechanism of action

The main mechanism of action of the medical device fytofontana VIROSTOP pastilles lies in its ability to cover the mucous membranes of the oral cavity with a protective film, thereby preventing the penetration of viruses into the body.

Contraindications

Allergy to any of the ingredients of the medical device (listed in the Ingredients section).

Side effects

When using fytofontana VIROSTOP pastilles, you may experience temporary mild irritation of the mucosa. These sensations are temporary and natural.

Intended users/patients

The medical device fytofontana VIROSTOP pastilles is intended for adults and children over **4 years old**.

Preventive measures and warnings

⚠ Do not use in children under 4 years of age. Older children should use the product only under the supervision of an adult.

⚠ For pregnant and breastfeeding women, consultation with a medical specialist regarding usage is recommended.

⚠ If symptoms persist, you should consult a doctor.

⚠ We do not recommend using the product if you have had surgical procedures in the nose or mouth area, or if the mucous membrane of the upper respiratory tract has been damaged.

⚠ Keep out of reach of small children.

Minor color variations in the pastilles are caused by the use of plant-based ingredients and do not affect the quality of the product in any way.

Dosage

Adults and children over 4 years old may suck on one pastille every 3-4 hours if necessary, but no more than 3 pastilles per day. The pastilles are suitable for preventive use. In case of higher risk of infection, you can use them up to 5x a day. It is very important to use them in the evening before bedtime after brushing your teeth. The pastilles are intended for sucking. Do not swallow the pastilles whole or chew them. Allow them to dissolve slowly in the mouth to achieve the desired effect.

The main benefit for the patient lies in the impact on public health through the use of VIROSTOP, where

- Polyphenols support the local immunity of the upper respiratory tract in the early stage of infection.
- Improvement in quality of life by reducing the duration of symptoms causing upper respiratory tract infections.
- Preventive use of VIROSTOP during periods of increased infection prevalence in communities reduces susceptibility to risks of upper respiratory tract infections.

Package contents: 20 pastilles in blisters


Lifespan of the medical device

The lifespan of the medical device is determined by the expiration date on the product packaging – 36 months from the date of manufacture.

Accessory or compatible medical devices

VIROSTOP medical device does not have any accessories or compatible medical devices.

Storage



The information is provided on the packaging

Disposal: Return any unused product to the pharmacy. Dispose of clean packaging materials in the appropriate recycling bin.



Herb-Pharma Corporation s.r.o., 935 65 Veľké Ludince 404, Slovak Republic, under license from Herb-pharma AG Schweiz, Waldmannstrasse 6, 8001 Zürich, Switzerland

www.virostop.info

www.fytofontana.com



Further information

In the event of a serious incident caused by the device, the user should report this incident to the manufacturer and to the competent authority of the Member State in which the user is resident.

EXPLANATION OF SYMBOLS

	See instructions for use		Manufacturer
	Best before		Batch number
	Temperature limit		Protect from sunlight
	Mark of conformity		Medical device
	Reference number		Unique Device Identifier
	Warning		

Date of issue: 23.01.2026

 10039EN-P-2